

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	system near2 recover\$3 with (failed near2 task)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/22 08:56
S2	395	detect\$3 near interrupt same event	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:46
S3	19	detect\$3 near interrupt same event. ab.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 18:27
S4	0	detect\$3 near interrupt same event same priroity	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:46
S5	0	detect\$3 near interrupt same event and priroity	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:46
S6	395	detect\$3 near interrupt same event	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:46
S7	60	detect\$3 near interrupt same event same priority	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:47
S8	4	detect\$3 near interrupt same event same priority and recovery	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:48
S9	60	detect\$3 near interrupt same event same priority	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:48
S10	25286	714/???.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:48
S11	0	S9 and S10	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:48

EAST Search History

S12	0	S9 and 718/100-198.ccls	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:49
S13	0	S9 and 718/100-108.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:49
S14	5925	718/100-108.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:49
S15	0	S14 and S9	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:49
S16	14552	710/???.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 20:49
S17	10	S16 and S9	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 21:00
S18	144	task with (fail\$3 near4 recovery)	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 21:00
S19	6	task with (fail\$3 near4 recovery) same interrupt	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/21 21:00
S20	0	detect\$3 near3 interrupt same spooler	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/22 08:56
S21	5	detect\$3 near3 interrupt same spool\$3	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/22 08:57
S22	1848	interrupt same spool\$3	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/22 08:57
S23	49	interrupt same spool\$3 same failure	US-PGPUB; USPAT; USOCR; EPO	OR	ON	2006/11/22 08:57

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Scholar All articles Recent articles Results 1 - 10 of about 21,200 for **PROCESSING TASKS AND FAILURE RECOVERY**

All Results

[C Liu](#)

[J Layland](#)

[R Smith](#)

[D Georgakopoul...](#)

[M Hornick](#)

Scheduling Algorithms for Multiprogramming in a Hard-Real-Time Environment - group of 44 »

CL Liu, JW Layland - Journal of the ACM (JACM), 1973 - portal.acm.org
... are special; they are initialization or **failure-recovery** routines; they displace periodic **tasks** while they ... but appears to be valid for pure **process** control ...
[Cited by 3646](#) - [Related Articles](#) - [Web Search](#)

An Optimal Algorithm for Scheduling Soft-Aperiodic Tasks in Fixed-Priority Preemptive Systems - group of 2 »

JP Lehoczy, S Ramos-Thuel - Proceedings of the IEEE Real-Time Systems Symposium, 1992 - www.lrh.univ-lehavre.fr
... For ex- ample, **recovery** from transient failures may create an aperiodic ... to the cumulative amount of time spent **processing** periodic **tasks** of **priority** ...
[Cited by 222](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Protocols for self-organization of a wireless sensor network - group of 8 »

K Sohrabi, J Gao, V Ailawadhi, GJ Pottie - IEEE Personal Communications, 2000 - ee.ucla.edu
... node is able to complete its **task** (data collection ... path, so that any local **failure** will automatically ... Adaptive Local Routing for cooperative signal **processing** ...
[Cited by 418](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [BL Direct](#)

Grid workflow: a flexible **failure** handling framework for the grid - group of 7 »

S Hwang, C Kesselman - High Performance Distributed Computing, 2003. Proceedings. ..., 2003 - ieeeexplore.ieee.org
... this way through the workflow **process** instance until ... That is, every time a **task** termination state ... The Grid-WFS supports multiple **failure recovery** tech- niques ...
[Cited by 25](#) - [Related Articles](#) - [Web Search](#)

The Ninja architecture for robust Internet-scale systems and services - group of 19 »

SD Gribble, M Welsh, R von Behren, EA Brewer, D ... - Computer Networks, 2001 - Elsevier
... by providing a mecha- nism for **failure** detection and ... with an event-driven system, all **processing** occur in ... general purpose threads, Ti- nyOS **tasks** execute to ...
[Cited by 256](#) - [Related Articles](#) - [Web Search](#)

The Contract Net Protocol: High-Level Communication and Control in a Distributed Problem Solver - group of 3 »

RG Smith - IEEE Transactions on Computers, 1980 - rgsmithassociates.com
... focused addressing is typically a heuristic **process**, since the ... 3 A numerical **priority** measure is not, in ... allow po- tential contractors to rank announced **tasks**. ...
[Cited by 1466](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Cited by 45 - Related Articles - Web Search - Library Search

[Cited by 40](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Cited by 889 - Related Articles - Web Search

Result Page: **1** **2** **3** **4** **5** **6** **7** **8** **9** **10** **Next**

PROCESSING TASKS AND FAILURE

©2006 Google